Amendments to the Claims

- 1. (Currently amended) An accessory for connecting in between a urinary catheter and a leg bag comprising
 - (A) a sleeve having an upper end and a lower end;
- (B) connectors for connecting the upper end of said sleeve to said urinary catheter and the lower end of said sleeve to said leg bag;
- (C) a filter within said sleeve that comprises <u>about 70 to about 90 wt%</u> compounded polymeric resin and an <u>about 10 to about 30 wt%</u> antimicrobial composition; and
- (D) a valve within said sleeve at said upper end for impeding the flow of fluid from said accessory into said urinary catheter.
- (Original) An accessory according to Claim 1 wherein said sleeve is a natura rubber or a synthetic polymer.
- 3. (Original) An accessory according to Claim 2 wherein said sleeve is a continuous part of the leg bag or the catheter.
- 4. (Original) An accessory according to Claim 1 wherein said sleeve is about 0.1 to about 36 inches long and about 0.2 to about 1 inch in diameter.
- 5. (Original) An accessory according to Claim 1 wherein the inside surface of said sleeve is coated with an antimicrobial coating.
- 6. (Original) An accessory according to Claim 1 wherein said connectors are thermally welded or adhesively bonded to said sleeve.

- 7. (Original) An accessory according to Claim 1 wherein said filter is extruded.
- 8. (Original) An accessory according to Claim 1 wherein said filter is a bundle of separate tubes.
- 9. (Original) An accessory according to Claim 1 wherein said filter has a star-shaped configuration.
- 10. (Original) An accessory according to Claim 1 wherein said filter has a multiluminal configuration.
- 11. (Original) An accessory according to Claim 1 wherein said filter has a folded configuration.
- 12. (Original) An accessory according to Claim 1 wherein said valve occupies a space above said filter.
- 13. (Original) An accessory according to Claim 1 wherein said polymeric resin is selected from the group consisting of polyurethanes, polyurethane sponges, styrene-butadiene based polymers, their blends or copolymers or derivatives, and silicone, or blends or and its copolymers.
- 14. (Original) An accessory according to Claim 1 wherein said polymeric resin has a particle size of about 0.01 to about 3 mm in diameter.
- 15. (Canceled).
- 16. (Original) An accessory according to Claim 1 wherein said polymeric resin is selected from a group comprising common plastics, polymer resins, including inorganic/organic hybrid materials, carbon and other high area filled materials such as

nanocomposites, superabsorbent polymers, hydrogels, biodegradable and natural polymeric materials such as cellulose or sponges and synthetic sponges.

- 17. (Original) An accessory according to Claim 1 wherein said antimicrobial composition comprises
 - (A) about 60 to about 100 wt% of an antimicrobial material;
 - (B) 0 to about 25 wt% of a calcium chelator;
 - (C) 0 to about 0.25 wt% of a pigment; and
 - (D) 0 to about 3 wt% of a lubricant.
- 18. (Original) An accessory according to Claim 1 wherein said antimicrobial composition comprises
 - (A) about 30 to about 60 wt% of a bactericide selected from the group consisting nanosize particles of silver, nanosize particles of silver with 2.5 wt% copper, silver citrate, silver acetate, silver benzoate, bismuth salicylate, bismuth pyrithione, zinc pyrithione, bismuth salts, parabenzoic acid ester, citric acid, sodium pyrithione, and mixtures thereof;
 - (B) about 20 to about 30 wt% of a calcium chelator selected from the group consisting of ethylene diamine tetraacetic acid, citric acid, hydroxyethylidene phosphonic acid, polyvinylphosphonic acid, polyvinylsulfonate, poly acrylic acid, aminophosphonic acids, and mixtures thereof;
 - (D) about 0.005 to about 0.01 wt% copper phthalocyanine; and

- (E) about 2 to about 3 wt% of a lubricant selected from the group consisting of polyethylene oxide, polyvinylpyrrolidone, polyacrylic acid polyvinyl alcohol, and derivatives and mixtures thereof.
- 19. (Original) An accessory for connecting a leg bag to a urinary catheter comprising
 - (A) a flexible plastic sleeve having an upper end and a lower end;
 - (B) plastic connectors for connecting the upper end of said sleeve to said urinary catheter and the lower end of said sleeve to said leg bag;
 - (C) a filter within said sleeve having a zone of inhibition that includes all passages therethrough and therearound, where said filter comprises a compounded mixture of
 - (1) about 60 to about 90 wt% polymeric resin powder; and
 - (2) about 10 to about 40 wt% of a antimicrobial composition that comprises
 - (a) about 35- 67% of an antimicrobial for bacteria and fungi;
 - (b) about 14 to about 29 wt% of a calcium chelator;
 - (c) about 0.05 to about 0.1 wt% of a pigment; and
 - (d) about 2 to about 3 wt% of a lubricant; and
 - (D) a valve within said sleeve at said upper end for impeding the flow of fluid out of said accessory and into said urinary catheter.
- 20. (Original) An accessory for connecting in between a leg bag and a urinary catheter comprising

- (A) a plastic sleeve having an upper end and a lower end;
- (B) a first plastic connector thermally welded to the upper end of said sleeve for connecting said sleeve to said urinary catheter and a second plastic connector thermally welded to the lower end of said sleeve for connecting said sleeve to said leg bag;
- (C) a filter occupying the space within said sleeve except near said upper end of said sleeve and having a zone of inhibition that includes all passages therethrough and therearound, where said filter comprises an extruded, molded, or shaped material that comprises
 - (1) about 70 to about 90 wt% polymeric resin powder selected from the group consisting of styrene-butadiene hybrids, polyurethanes, copolymers and hybrids thereof, silicones and hybrids, cellulose powder, hydrogels such as polyacrylates, polyoxazoline, alginates, p-hema, (polyhydroxy ethyl acrylate) polyvinylalcohol and its copolymers, and mixtures thereof; and
 - (2) about 10 to about 30 wt% a antimicrobial composition that comprises
 - (a) about 10 to about 25 wt% silver citrate;
 - (b) about 5 to about 8 wt% nanosilver containing about 2.5wt% copper;
 - (c) about 20 to about 35 wt % butyl paraben;

- (d) about 10 to about 25 wt% citric acid;
- (e) about 0.1 to about 0.25 wt% copper phthalocyanine; and
- (f) about 4 to about 5 wt% ethylene diamine tetraacetic acid;and
- (g) about 2 to about 3 wt% polyethylene oxide; and
- (D) a duck bill check valve within said sleeve at said upper end for impeding the flow of fluid out of said accessory and into said urinary catheter.
- 21. (Canceled).